

## EquiVeo™ Videoendoscope

All-in-one, mobile system for respiratory  
endoscopy in the horse



The new KARL STORZ EQUIVEO™ portable videoendoscope system with integrated monitor, LED light source, documentation, lithium-ion battery and user friendly software provides the equine practitioner optimal freedom of movement and flexibility. With its slender diameter of just 6 mm and extended length of 150 cm, the EQUIVEO™ videoendoscope offers precise endoscopic visual control for examination of all areas of the upper respiratory tract in the horse. The 4-way tip deflection and responsiveness of the insertion tube assure precise and reliable maneuverability.

The EQUIVEO™ videoendoscope works with either a standard electrical power cord or rechargeable batteries for ease of use in the clinic or in the field. The rechargeable lithium-ion battery operates up to three hours, and is replaceable if additional time is needed.

Documentation of still images (JPG) and videos (ASF) is fully integrated into the system. The files may be exported to SD card or USB drives. The text annotation feature allows for patient data or findings to be added to the captured images and videos.





Photograph courtesy of Dr. Gilles BARATOUX - Clinique Equine Meslay, France.

### Features:

- Slender diameter of just 6 mm and extended length of 150 cm
- Precise 4-way tip deflection (4 x 150°)
- Digital zoom
- Comparative measurement tool
- Works with rechargeable lithium-ion batteries (up to 3 hours, replaceable) as well as with standard electrical power
- Connects to an external monitor for larger display during exams
- High performance, adjustable LED light source
- Convenient carrying case included
- Multi-lingual user interface
- High resolution color video sensor
- Ergonomic handle design for both right and left handed users
- Documentation of still images (JPEG) and videos (ASF) with text annotation options on SD card or USB drive



Large, high-resolution 5" true color LCD color monitor with impact protection

Image and video recordings with or without text annotation

Quick access function keys

2 brake levers to secure the scope into position

60615 ER

**EQUIVO™ Videoendoscope 1.5 m x dia. 6 mm, Set**, length 1.5 m, sheath outer diameter 6 mm, direction of view 0°, angle of view 70°, depth of field 15 mm to infinity, 4-way deflection 150°, lens with safety thread, ergonomic control unit with 5" LCD display unit and Li-ion battery, SD memory card 2 GB and adjustable LED light source incl. Li-ion battery

including:

**VIDEOSCOPE**, 1.5 m x diameter 6 mm

**Power Supply**, for the VIDEOSCOPE

**LED Light Source**, adjustable

4x **NP 700 Battery**, ≥650 mAh for LED light source

**Charger Unit**, for NP 700 batteries

**Lithium-ion Battery**, for 5" LCD display unit

**Charger Unit**, for Lithium-ion Battery

**Mini-USB Cable 1.1**

**Composite Video Cable**

**Adhesive Label**, labeling 230 x 100 mm

**User Manual**, for the VIDEOSCOPE

**Storage Case**, for the VIDEOSCOPE



**STORZ**  
KARL STORZ—ENDOSKOPE

THE DIAMOND STANDARD



KARL STORZ SE & Co. KG  
Dr.-Karl-Storz-Straße 34, 78532 Tuttlingen/Germany  
Postbox 230, 78503 Tuttlingen/Germany  
Phone: +49 (0)7461 708-0  
Fax: +49 (0)7461 708-105  
E-Mail: [vet@karlstorz.com](mailto:vet@karlstorz.com)  
[www.karlstorz.com](http://www.karlstorz.com)